



Ifw

Best Available Copy

To: the United States Patent Office

Attn. Examiner: **LINDSAY M. MAGUIRE**; ART UNIT: **3634**

Phone: 571-272-6039; Fax: 571-273-8300

From: Frederick Kaufman (Phone: 604-687-4744)

Email: kaufmanpatents@shaw.ca

Ref : **Application No. 10/762,782**

Following the "Notice of Non-Responsive Amendment" of 01/13/2006 and the indications of the Examiner, the Applicant submits:

An Accompanying letter (1 page)

Vancouver, Canada 01/26/2006



Best Available Copy

Application No. : 10/762,782
Applicant : Stephen J. Lawson
Filed : January 23, 2004
Art Unit : 3634
Examiner : Lindsay Monica MAGUIRE

Confirmation No.:6130

To the Commissioner for Patents
P.O.Box 1450

Alexandria, VA 22313-1450

In response to the NOTICE OF NON-RESPONSE AMENDMENT of 01/13/2006 the Applicant states the following:

Invention II drawn to a bracket was elected; and

Claims 1 and 2, directed, respectively, to a bracket in combination with an article of furniture and to a bracket used in combination with an inclined support-display have been cancelled.

New claim 3 is solely directed to a bracket. Inclined support-display assembly is included in the preamble, before the body of the claim, to serve merely as a reference of the environment in which the bracket is used.

Vancouver, BC, Canada, 26 Jan.2006

Respectfully Yours,


Frederick Kaufman

Agent for the Applicant